# Penta-Lock

Handle-operated sliding door lock







## **DESCRIPTION**

Strong **high security** multi-point lock for sliding doors. This solid multi-point lock with pivoting night hook and 4 additional mushroom head bolts provides an **extra secure locking** and prevents lifting of the sliding doors. The multi-point lock is **handle operated** and is locked in the **closed position with a euro-profile cylinder.** 



## **CHARACTERISTICS**

- Penta-Lock can also be **extended with a top and bottom shootbolt** in order to obtain 2 extra locking points. With the shootbolt night vent wedges the sliding door can be locked in a night vent position, providing ventilation.
- Penta-Lock is manufactured completely from **non-corroding materials.**
- The wedges and adjusting plates are toothed for **easy adjustment of height** (up to 9 mm vertical adjustment).
- Penta-Lock can be **supplied with a safety pin** ('T' type), preventing incorrect operation of the handle. This safety device prevents the locking mechanism being operated accidentally on the open sliding door.
- As well as the illustrated handle with lever of the Horizon handle, you can choose from a wide range of handles. The handles can be finished in more than 450 RAL colours and some handles are available in stainless steel.



## **VARIATIONS**

- Penta-Lock exists in different versions:
  - multi-point lock with pivoting night hook and 0, 2 or 4 mushroom head bolts on a long faceplate.
  - multi-point lock with long faceplate for three or four part sliding doors.
- multi-point lock with 2 or 4 mushroom head bolts on a long faceplate.
- short lock with pivoting night hook.
- short lock with 2 mushroom head bolts on a short faceplate.



## • Locks:

- Available with 2 backsets.
- Faceplates available in different lengths: 1970 mm, 2170 mm and 2370 mm.
- Types of lock faceplates:
  - ♦ flat faceplates: 16 mm and 20 mm.
  - ♦ U-shaped faceplates: U20 mm and U24 mm.

#### • Keeps:

- Both short and long keeps in different dimensions are available.
- Long keeps in 6 various lengths: 1970 mm, 2170 mm, 2370 mm, 2570 mm, 2770 mm and 2970 mm.

## **SAFETY AGAINST BURGLARY**

- The upward pivoting night hook in stainless steel prevents lifting up of the door and the opening of the sliding door when in the locked position.
- Up to 4 additional stainless steel mushroom head bolts provide multiple locking points distributed over the height of the sliding door.
- High security door handles with special reinforced core which makes the cylinder difficult to attack and it's long backplate hard to break.
- Long continuous keeps.

# **ROLLER ASSEMBLIES**

## **DESCRIPTION**

Wheel housings for sliding windows fitted with **high-quality wheels**, available in **stainless steel** or **high-quality synthetic material**. These wheels can tolerate **heavy weights** without deforming them. The pre-assembled brushes keep the track clean and **prolong the lifetime**.



#### **CHARACTERISTICS**

## **High-quality synthetic material**

Durability	_	Max. vent weight with 4 carriages
50.000 cycles	250 kg	400 kg
25.000 cycles	300 kg	400 kg

Durability: up to 10x class H3 in conformity with EN13126-15:2019.



## **Stainless steel**

Durability	Max. vent weight with 2 carriages	
10.000 cycli	300 kg	

Durability: class H2 in conformity with EN13126-15:2019.



Stainless steel

## **ADVANTAGES**

- · Heavy weights.
- High number of cycles.
- Easy assembly.
- Low-maintenance.
- High quality.
- Prolonged lifetime.



We are Sobinco. We get things done. We specialise in the development and production of innovative locking systems and components for the aluminium windows and doors industry.

At Sobinco the entire production process takes place under one roof. In this way we are able to manage and control the value creation chain from start to finish. This gives us **great flexibility** and allows us **to attain sustainable results over the short term**.

**Innovation is our passion.** Our creativity, expertise and craftsmanship provide a guarantee of added value which translates into high-quality products, easy assembly, modularity, sustainability and aesthetic comfort.

Driven by this passion, **our team** at all times endeavours to **improve our current products and develop new ones**. To this end, we listen to the market and to our customers.

We use **high-quality materials** for our product development. These products are **exhaustively tested in line with the strictest of guidelines and quality requirements**. Every product must satisfy these as a minimum and their ratings often exceed the required standards.

We have a **strong customer focus**. Not only in the development of our products, but also in our after-sales support, during the installation process and even long afterwards.

Sobinco is a financially viable and high-tech environment where our specialists can focus on their strengths. With more than 60 years in the business, you can rest assured that we are a reliable partner, ready to seize the opportunity. Nevertheless, we remain approachable. In short, **a family atmosphere, where there is mutual respect** for management, customers, partners and employees.

We are Sobinco. We get things done. We listen. We think in terms of opportunities. We are not afraid to roll up our sleeves.

