

Cosmo

Compact, smart & modular
window system


Window handles

Sobinco
OPENS YOUR LIFE


Baseless window handles

Edge

F1001004 ■



F1001018 ■■




- * Left and right execution available (only for tilt-turn windows)
- Available anodised
- Available powder coated in more than 450 RAL colours


Edge

WITH CYLINDER

F1001005 ■■



F1001006* ■■



Left!


Right!




Standard window handles

Edge


F30000-682-25 ■■




F30000-688-25 ■■



F35000-682-25 ■



F35000-682-25 ■




- Available anodised
- Available powder coated in more than 450 RAL colours


Edge

WITH CYLINDER

F35300-682-25 CYL ■




F35350-682-25 CYL ■




WITH BUTTON

F35300-682-25 KNOB ■



F35350-682-25 KNOB ■



Tilt-turn handles


Edge

WITH CYLINDER
WITH FREE RUN


■ Available anodised

■ Available powder coated in more than 450 RAL colours

F36000-682-25 CYL ■




F36000-682-25 CYL ■




WITH CYLINDER
WITH 3 POSITIONS

F36500-682-25 CYL ■



F36500-682-25 CYL ■







Standard window handles

Horizon

F30000-680-25 ■■




F30000-680B-25 ■■




WITH CYLINDER

F35000-680-25 ■



F35300-680-25 CYL ■




Tilt-turn handles

Horizon

WITH CYLINDER
WITH FREE RUN

- Available anodised
- Available powder coated in more than 450 RAL colours


F36000-680-25 CYL ■




Standard window handles

Sobinox


F1752-25




F1757-25




F30600-600-25




F30600-601-25




F30600-602-25




F30600-610-25



F30600-611-25



F30600-612-25




Standard window handles



Sobinox

WITH CYLINDER

F1852CYL-25



F1857CYL-25




Tilt-turn handles


Sobinox

WITH CYLINDER
WITH FREE RUN


F1752CYL-25*



F1757CYL-25*



* Left and right execution available (only for tilt-turn windows)




Standard window handles

Sobinal


■ Available anodised

■ Available powder coated in more than 450 RAL colours


F1850AL-25 ■■




F1852AL-25 ■■



F1855AL-25 ■■




F1857AL-25 ■■






Profile preparations A

Lockcase with baseless window handle

Profile dimension




Millings




Profile preparations B

Lockcase with 43/7 handle



Profile dimension



Millings




$L=22 \Rightarrow C=23$
 $L=21.5 \Rightarrow C=22.5$



Profile preparations C

Lockcase with 43/7 handle


Profile dimension






For handles:

- Edge n° F30000-682-25
- Edge n° F30000-688-25
- Horizon n° F30000-680-25
- Horizon n° F30000-680B-25
- Sobinox
- Sobinal

Millings



L=22 => C=23
L=21.5 => C=22.5



Overview Cosmo window handles

Description	Shape	Family N°	Range	Orientation	Finish	Suitable for SKG	Suitable for resistance class RCx according to EN1627
Rozetloze raamkruk	Edge	F1001004		N/A	Lac		
Rozetloze raamkruk	Edge	F1001018		N/A	Lac		
Rozetloze raamkruk	Edge	F1001018		N/A	Ano		
Rozetloze raamkruk	Edge	F1001005	R1001005	N/A	Lac	***	RC1 - RC6
Rozetloze raamkruk	Edge	F1001005	R1001005	N/A	Ano	***	RC1 - RC6
Rozetloze raamkruk	Edge	F1001006		L	Lac		
Rozetloze raamkruk	Edge	F1001006		L	Ano		
Rozetloze raamkruk with cylinder	Edge	F1001006		R	Lac		
Rozetloze raamkruk with cylinder	Edge	F1001006		R	Ano		
Standaard raamkruk	Edge	F30000-682-25		N/A	Lac		
Standaard raamkruk	Edge	F30000-682-25		N/A	Ano		
Standaard raamkruk	Edge	F30000-688-25		N/A	Lac/Ano		
Standaard raamkruk	Edge	F35000-682-25	R1001006	N/A	Lac		
Standaard raamkruk	Edge	F35000-682-25	R1001006	N/A	Ano		
Standaard raamkruk with cylinder	Edge	F35300-682-25 CYL	R1001007	N/A	Lac	***	RC1 - RC3
Standaard raamkruk with cylinder	Edge	F35350-682-25 CYL	R1001008	N/A	Lac	**	
Standaard raamkruk with cylinder	Edge	F35350-682-25 CYL	R1001008	N/A	Ano	**	
Standaard raamkruk with button	Edge	F35300-682-25 KNOB	R1001009	N/A	Lac		
Standaard raamkruk with button	Edge	F35300-682-25 KNOB	R1001009	N/A	Ano		
Kip-draaikruk with cylinder with free run	Edge	F36000-682-25 CYL	R1001010	N/A	Lac		
Kip-draaikruk with cylinder with free run	Edge	F36000-682-25 CYL	R1001010	N/A	Ano		
Kip-draaikruk with cylinder with 3 positions	Edge	F36500-682-25 CYL	R1001011	N/A	Lac	**	
Kip-draaikruk with cylinder with 3 positions	Edge	F36500-682-25 CYL	R1001011	N/A	Ano	**	
Standaard raamkruk	Horizon	F30000-680-25		N/A	Lac		
Standaard raamkruk	Horizon	F30000-680-25		N/A	Ano		
Standaard raamkruk	Horizon	F30000-680B-25		N/A	Ano		
Standaard raamkruk	Horizon	F30000-680B-25		N/A	Lac		
Standaard raamkruk	Horizon	F35000-680-25		N/A	Lac		
Standaard raamkruk with cylinder	Horizon	F35300-680-25 CYL	R1001008	N/A	Lac	**	
Kip-draaikruk with cylinder with free run	Horizon	F36000-680-25 CYL		N/A	Lac		
Standaard raamkruk	Sobinox	F1752-25		N/A	N/A		
Standaard raamkruk	Sobinox	F1757-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-600-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-601-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-602-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-610-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-611-25		N/A	N/A		
Standaard raamkruk	Sobinox	F30600-612-25		N/A	N/A		
Standaard raamkruk with cylinder	Sobinox	F1852CYL-25		N/A	N/A	**	
Standaard raamkruk with cylinder	Sobinox	F1857CYL-25		N/A	N/A	**	
Kip-draaikruk with cylinder with free run	Sobinox	F1752CYL-25		L	N/A		
Kip-draaikruk with cylinder with free run	Sobinox	F1752CYL-25		R	N/A		
Kip-draaikruk with cylinder with free run	Sobinox	F1757CYL-25		L	N/A		
Kip-draaikruk with cylinder with free run	Sobinox	F1757CYL-25		R	N/A		
Standaard raamkruk	Sobinal	F1850AL-25		N/A	Lac/Ano		
Standaard raamkruk	Sobinal	F1852AL-25		N/A	Lac/Ano		
Standaard raamkruk	Sobinal	F1855AL-25		N/A	Lac/Ano		
Standaard raamkruk	Sobinal	F1857AL-25		N/A	Lac/Ano		

TuTi Suitable for turn-tilt windows
TTu Suitable for tilt-turn windows
SH Suitable for side hung windows
BH Suitable for bottom hung windows

Classification EN 13126-3:2023

Durability	Mass	Corrosion resistance	Test sizes	Burglary security	Security key	Handle type	Category of use	Milling pattern	TiTu	TuTi	SH	BH
H3/180	0	5	0	0	0	C1	1	A	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	A		✓		
H3/180	0	5	0	0	0	C1	1	A		✓		
H3/180	0	4	0	2	3	C1	1	A		✓		
H3/180	0	4	0	2	3	C1	1	A		✓		
								A	✓	✓	✓	✓
								A	✓	✓	✓	✓
								A	✓	✓	✓	✓
								A	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	B	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	2	2	C1	1	B	✓	✓	✓	✓
H2/180	0	4	0	1	2	C1	1	B	✓	✓	✓	✓
H2/180	0	4	0	1	2	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	2	1	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	2	1	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	0	0	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	0	0	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	1	2	C1	1	B	✓	✓	✓	✓
H3/180	0	4	0	1	2	C1	1	B	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H2/180	0	5	0	0	0	C1	1	B	✓	✓	✓	✓
H2/180	0	4	0	1	2	C1	1	B	✓	✓	✓	✓
H2/180	0	4	0	0	0	C1	1	B	✓	✓	✓	✓
								C	✓	✓	✓	✓
								C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H3/180	0	5	0	0	0	C1	1	C	✓	✓	✓	✓
H2/180	0	3	0	1	2	C1	1	C	✓	✓	✓	✓
H2/180	0	3	0	1	2	C1	1	C		✓		
H2/180	0	3	0	0	2	C1	1	C		✓		
H2/180	0	3	0	0	2	C1	1	C		✓		
H2/180	0	3	0	0	2	C1	1	C		✓		
H2/180	0	3	0	0	2	C1	1	C		✓		
								C	✓	✓	✓	✓
								C	✓	✓	✓	✓
								C	✓	✓	✓	✓
								C	✓	✓	✓	✓

We are Sobinco. We get things done. We specialise in the development and production of innovative locking systems and components for the aluminium windows and doors industry.

At Sobinco **the entire production process takes place under one roof.** In this way we are able to manage and control the value creation chain from start to finish. This gives us **great flexibility** and allows us **to attain sustainable results over the short term.**

Innovation is our passion. Our creativity, expertise and craftsmanship provide a guarantee of added value which translates into **high-quality products, easy assembly, modularity, sustainability and aesthetic comfort.**

Driven by this passion, **our team** at all times endeavours to **improve our current products and develop new ones.** To this end, we listen to the market and to our customers.

We use **high-quality materials** for our product development. These products are **exhaustively tested in line with the strictest of guidelines and quality requirements.** Every product must satisfy these as a minimum and their ratings often exceed the required standards.

We have a **strong customer focus.** Not only in the development of our products, but also in our after-sales support, during the installation process and even long afterwards.

Sobinco is a financially viable and high-tech environment where our specialists can focus on their strengths. With more than 60 years in the business, you can rest assured that we are a reliable partner, ready to seize the opportunity. Nevertheless, we remain approachable. In short, **a family atmosphere, where there is mutual respect** for management, customers, partners and employees.

We are Sobinco. We get things done. We listen. We think in terms of opportunities. We are not afraid to roll up our sleeves.

VAN PARYS FAMILY

PEOPLE

COMPLETE SERVICE

VERTICAL INTEGRATION

Listen. Think. Do.

SUSTAINABLE GROWTH

INNOVATION

TOP QUALITY

FITTINGS FOR ALUMINIUM WINDOWS & DOORS

Waregemstraat 5 - 9870 Zulte - Belgium

T +32 9 388 88 81 - F +32 9 388 88 21

commercial@sobinco.com

www.sobinco.com

Sobinco
OPENS YOUR LIFE